

## AVALON CHANDELIER OVAL CEILING MOUNTING PLATE

### FINISH

bronze with honed alabaster satin brass with honed alabaster

### DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)  
62.6 x 13.4 x 2.8 in (l x w x h)

### WEIGHT

45kg (99.2lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 300 mm (11.8 in)  
maximum on request 5080 mm (200 in)  
supplied with 4 x 2500mm (.15 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 110w - 2700k  
110-130v - integrated LED - 110w - 2700k  
LED driver to be installed in the ceiling cavity drivers must be installed up to 20 meters from the body of the light

### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)  
0/1-10v (220-240v or 110-130v) - on request





### CEILING ROSE / PLATE

450 x 130 x 10 mm (l x w x h)  
17.7 x 5.1 x .4 in (l x w x h)

### CERTIFICATION



[VIEW ON WEBSITE](#)



\*Diagrams are not to scale.

## AVALON CHANDELIER OVAL CEILING ROSE

### FINISH

bronze with honed alabaster satin brass with honed alabaster

### DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)  
62.6 x 13.4 x 2.8 in (l x w x h)

### WEIGHT

45kg (99.2lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 345 mm (13.6 in)  
maximum on request 5084 mm (200.2 in)  
supplied with 4 x 2500 mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 110w - 2700k  
110-130v - integrated LED - 110w - 2700k  
LED driver to be installed in the ceiling rose

### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)  
0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

450 x 130 x 55 mm (l x w x h)  
17.7 x 5.1 x 2.2 in (l x w x h)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## AVALON CHANDELIER OVAL CEILING MOUNTING PLATE - DALI A

### FINISH

bronze with honed alabaster satin brass with honed alabaster

### DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)  
62.6 x 13.4 x 2.8 in (l x w x h)

### WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 300 mm (11.8 in)  
maximum on request 5080 mm (200 in)  
supplied with 4 x 2500mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 110w - 2700k  
110-130v - integrated LED - 110w - 2700k  
DALI LED driver to be installed in the ceiling cavity  
drivers must be installed up to 20 meters from the body of the light

### DIMMING

DALI compatible



### CEILING ROSE / PLATE

450 x 130 x 10 mm (l x w x h)  
17.7 x 5.1 x .4 in (l x w x h)


### CERTIFICATION




### VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



\*Diagrams are not to scale.

## AVALON CHANDELIER OVAL CEILING ROSE - DALI A

### FINISH

bronze with honed alabaster satin brass with honed alabaster

### DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)  
62.6 x 13.4 x 2.8 in (l x w x h)

### WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 345 mm (13.6 in)  
maximum on request 5084 mm (200.2 in)  
supplied with 4 x 2500mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 110w - 2700k  
110-130v - integrated LED - 110w - 2700k  
DALI LED driver to be installed in the ceiling rose

### DIMMING

DALI compatible


### CEILING ROSE / PLATE

450 x 130 x 55 mm (l x w x h)  
17.7 x 5.1 x 2.2 in (l x w x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## AVALON CHANDELIER OVAL

### AVALON CHANDELIER OVAL - CEILING MOUNTING PLATE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACHOVZHA-CM-240	bronze with honed alabaster	220 - 240V
AVACHOVSBHA-CM-240	satin brass with honed alabaster	220 - 240V
AVACHOVZHA-CM-110	bronze with honed alabaster	110 - 130V
AVACHOVSBHA-CM-110	satin brass with honed alabaster	110 - 130V

### AVALON CHANDELIER OVAL - CEILING ROSE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACHOVZHA-CR-240	bronze with honed alabaster	220 - 240V
AVACHOVSBHA-CR-240	satin brass with honed alabaster	220 - 240V
AVACHOVZHA-CR-110	bronze with honed alabaster	110 - 130V
AVACHOVSBHA-CR-110	satin brass with honed alabaster	110 - 130V

### AVALON CHANDELIER OVAL - CEILING MOUNTING PLATE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACHOVZHA-CM-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
AVACHOVSBHA-CM-DALIA-240	satin brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### AVALON CHANDELIER OVAL - CEILING ROSE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACHOVZHA-CR-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
AVACHOVSBHA-CR-DALIA-240	satin brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V