# CTOLIGHTING

## CASCATA LONG CEILING MOUNTING PLATE

#### FINISH

antique bronze with wavy kiln glass bronze with wavy kiln glass satin brass with wavy kiln glass polished nickel with wavy kiln glass

#### **DIMENSIONS** (body of fixture)

1695 x 55 x 640 mm (l x w x h) 66.7 x 2.2 x 25.2 in (l x w x h)

#### WEIGHT

35kg (77.2lbs) please ensure ceiling structure is strong enough to support the weight of the light

#### OVERALL DROP

minimum 750 mm (29.5 in) maximum on request 5650 mm (222.4 in) supplied with 2 x 1000mm (.07 x 39.3 in) drop rod (12.7 mm/0.5 in dia) as standard (adjustable on site)

#### ILLUMINATION

220-240v - integrated LED - 25w - 2700k 110-130v - integrated LED - 25w - 2700k LED driver to be installed in the ceiling cavity drivers must be installed up to 20 meters from the body of the light

#### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only) 0/1-10v (220-240v) - on request


#### **CEILING ROSE / PLATE**

680 x 80 x 10mm (l x w x h) 26.8 x 3.1 x .4 in (l x w x h)

## CERTIFICATION

#### VIEW ON WEBSITE





\*Diagrams are not to scale.

mounting plate dimensions

# CTOLIGHTING

## CASCATA LONG CEILING ROSE

#### FINISH

antique bronze with wavy kiln glass bronze with wavy kiln glass satin brass with wavy kiln glass polished nickel with wavy kiln glass

#### **DIMENSIONS** (body of fixture)

1695 x 55 x 640 mm (l x w x h) 66.7 x 2.2 x 25.2 in (I x w x h)

#### WEIGHT

35kg (77.2lbs) please ensure ceiling structure is strong enough to support the weight of the light

#### **OVERALL DROP**

minimum 750 mm (29.5 in) maximum on request 5650 mm supplied with 2 x 1000mm drop rod (12.7 mm dia) as standard (ad-justable on site)

#### ILLUMINATION

220-240v - integrated LED - 25w - 2700k 110-130v - integrated LED - 25w - 2700k LED driver to be installed in the ceiling rose

#### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only) 0/1-10v (220-240v) - on request

#### **CEILING ROSE / PLATE**


680 x 60 x 35mm (l x w x h) 26.8 x 2.4 x 1.4in (Î x w x h)

### CERTIFICATION




### VIEW ON WEBSITE





\*Diagrams are not to scale.



# CTQLIGHTING

## CASCATA LONG CEILING MOUNTING PLATE - DALI A

#### FINISH

antique bronze with wavy kiln glass bronze with wavy kiln glass satin brass with wavy kiln glass polished nickel with wavy kiln glass

#### **DIMENSIONS** (body of fixture)

1695 x 55 x 640 mm (l x w x h) 66.7 x 2.2 x 25.2 in (l x w x h)

#### WEIGHT

35kg (77.2lbs) please ensure ceiling structure is strong enough to support the weight of the light

#### OVERALL DROP

minimum 750 mm (29.5 in) maximum on request 5650 mm (222.4 in) supplied with 2 x 1000mm drop rod (12.7 mm/0.5 in dia) as standard (adjustable on site)

#### ILLUMINATION

220-240v - integrated LED - 25w - 2700k 110-130v - integrated LED - 25w - 2700k DALI LED driver to be installed in the ceiling cavity drivers must be installed up to 20 meters from the body of the light

#### DIMMING

DALI compatible

#### **CEILING ROSE / PLATE**


680 x 80 x 10mm (l x w x h) 26.8 x 3.1 x .4in (l x w x h)

#### CERTIFICATION



#### VIEW ON WEBSITE





## mounting plate dimensions

\*Diagrams are not to scale.

# CTOLIGHTING

## CASCATA LONG CEILING ROSE - DALI A

#### FINISH

antique bronze with wavy kiln glass bronze with wavy kiln glass satin brass with wavy kiln glass polished nickel with wavy kiln glass

### DIMENSIONS (body of fixture)

1695 x 55 x 640 mm (l x w x h) 66.7 x 2.2 x 25.2 (l x w x h)

#### WEIGHT

35kg (77.2lbs) please ensure ceiling structure is strong enough to support the weight of the light

#### OVERALL DROP

minimum 750 mm (29.5 in) maximum on request 5650 mm (222.8 in) supplied with 2 x 1000mm drop rod (12.7mm.0.5 in dia) as standard (adjustable on site)

#### ILLUMINATION

220-240v - integrated LED - 25w - 2700k 110-130v - integrated LED - 25w - 2700k DALI LED driver to be installed in the ceiling rose

### DIMMING

DALI compatible

#### **CEILING ROSE / PLATE**


680 x 60 x 35mm (l x w x h) 26.8 x 2.4 x 1.4 in (l x w x h)

### CERTIFICATION



## VIEW ON WEBSITE





\*Diagrams are not to scale.



# CTQLIGHTING

## CASCATA LONG

## CASCATA LONG - CEILING MOUNTING PLATE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CASCHLABWG-CM-240	antique bronze with wavy kiln glass	220 - 240V
CASCHLBZWG-CM-240	bronze with wavy kiln glass	220 - 240V
CASCHLSBWG-CM-240	satin brass with wavy kiln glass	220 - 240V
CASCHLPNWG-CM-240	polished nickel with wavy kiln glass	220 - 240V
CASCHLABWG-CM-110	antique bronze with wavy kiln glass	110 - 130V
CASCHLBZWG-CM-110	bronze with wavy kiln glass	110 - 130V
CASCHLSBWG-CM-110	satin brass with wavy kiln glass	110 - 130V
CASCHLPNWG-CM-110	polished nickel with wavy kiln glass	110 - 130V

## CASCATA LONG - CEILING ROSE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CASCHLABWG-CR-240	antique bronze with wavy kiln glass	220 - 240V
CASCHLBZWG-CR-240	bronze with wavy kiln glass	220 - 240V
CASCHLSBWG-CR-240	satin brass with wavy kiln glass	220 - 240V
CASCHLPNWG-CR-240	polished nickel with wavy kiln glass	220 - 240V
CASCHLABWG-CR-110	antique bronze with wavy kiln glass	110 - 130V
CASCHLBZWG-CR-110	bronze with wavy kiln glass	110 - 130V
CASCHLSBWG-CR-110	satin brass with wavy kiln glass	110 - 130V
CASCHLPNWG-CR-110	polished nickel with wavy kiln glass	110 - 130V

# CTQLIGHTING

## CASCATA LONG - DALI A

## CASCATA LONG - CEILING MOUNTING PLATE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CASCHLABWG-CM-DALIA-240	antique bronze with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CASCHLBZWG-CM-DALIA-240	bronze with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CASCHLSBWG-CM-DALIA-240	satin brass with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CASCHLPNWG-CM-DALIA-240	polished nickel with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

## CASCATA LONG - CEILING ROSE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CASCHLABWG-CR-DALIA-240	antique bronze with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
CASCHLBZWG-CR-DALIA-240	bronze with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
CASCHLSBWG-CR-DALIA-240	satin brass with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
CASCHLPNWG-CR-DALIA-240	polished nickel with wavy kiln glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V